

Pencil Drill Driver

DF012DSJ

7.2V • 0 – 650 min⁻¹ • 5,6 Nm

Pencil drill driver with torque control

A small and light 7.2V pencil drill driver. A compact drill driver with 21-position torque adjustment between 0,3 Nm and 3,0 Nm. The tool has two speed ranges and it switches off once the set torque is reached. Two 1.5Ah batteries and a charger in a Makpac case.



7.2V

TECHNICAL SPECIFICATIONS

Nominal Battery Voltage	7,2 V
No load speed	0 - 200 / 0 - 650 min ⁻¹
Max. fastening torque Hard/Soft	5,6 / 3,6 Nm
Torque setting	21
Vibration Level, Drilling into metal	≤ 2,5 m/s ²
Sound Pressure Level (L _{pA})	70 dB(A)
Noise Uncertainty (K Factor)	3 dB(A)
Tool weight with battery	0,54 kg
Product Dimensions (L x W x H):	115 x 125 x 64 mm
Dimensions, foldable	218 x 44 x 142 mm
Vibration Uncertainty (K Factor), Drilling into metal	1,5 m/s ²
Battery Chemistry (Ni-Cd / Ni-MH / Li-ion)	Li-ion
Driving Shank	1/4 "

USER BENEFITS

- LED light illuminates the work site
- The rubber coating on the handle ensures a firm working grip
- Battery protection system automatically shuts off power when the battery level is low

EAN 0088381838047

Link to Product page - www.makita.ae



RELATED PRODUCTS

STANDARD ACCESSORIES

821549-5

Makpac case (1)



STANDARD MACHINES

198000-3 (2x)

Battery Li-ion 7,2V / 1,5 Ah, BL0715



OPTIONAL ACCESSORIES

821549-5

Makpac case (1)



OTHER

User manual

